




# FRAME

## Mirrors with narrow frame

### 02.124

Mirror 45x80 cm with 13mm frame




**02.124-30**

Inox Bright

**02.124-00**

Inox Satin



Mirror with 13mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00



# FRAME

## Mirrors with side frame

### 02.130

Mirror 55x80 cm with side frame




**02.130-30**

Inox Bright

**02.130-00**

Inox Satin



Mirror with side frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# FRAME

## Mirrors with narrow frame

### 02.224

Mirror 45x100 cm with 13mm frame




**02.224-30**

Inox Bright

**02.224-00**

Inox Satin



Mirror with 13mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00



# FRAME

## Mirrors with side frame

### 02.230

Mirror 55x100 cm with side frame




**02.230-30**

Inox Bright

**02.230-00**

Inox Satin



Mirror with side frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# FRAME

## Mirrors with narrow frame

### 02.324

Mirror 45x120 cm with 13mm frame




**02.324-30**

Inox Bright

**02.324-00**

Inox Satin



Mirror with 13mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00



# FRAME

## Mirrors with side frame

### 02.330

Mirror 55x120 cm with side frame




**02.330-30**

Inox Bright

**02.330-00**

Inox Satin



Mirror with side frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00




# FRAME

## Mirrors with wide frame

**02.422**

Mirror 40x60 cm with 33mm frame




**02.422-30**

Inox Bright

**02.422-00**

Inox Satin



Mirror with 33mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# FRAME

## Mirrors with wide frame

**02.522**

Mirror 50x60 cm with 33mm frame




**02.522-30**

Inox Bright

**02.522-00**

Inox Satin



Mirror with 33mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00





# FRAME

## Mirrors with inclined frame

**02.623**

Mirror 60x80 cm with inclined frame




**02.623-30**

Inox Bright

**02.623-00**

Inox Satin



Mirror with inclined frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# FRAME

## Mirrors with wide frame

**02.722**

Mirror 50x70 cm with 33mm frame




**02.722-30**

Inox Bright

**02.722-00**

Inox Satin



Mirror with 33mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# FRAME

## Mirrors with inclined frame

### 02.723

Mirror 70x70 cm with inclined frame




**02.723-30**

Inox Bright

**02.723-00**

Inox Satin



Mirror with inclined frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.395-00




# FRAME

## Mirrors with wide frame

**02.822**

Mirror 60x80 cm with 33mm frame




**02.822-30**

Inox Bright

**02.822-00**

Inox Satin



Mirror with 33mm frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00



# FRAME

## Mirrors with inclined frame

**02.823**

Mirror 70x90 cm with inclined frame




**02.823-30**

Inox Bright

**02.823-00**

Inox Satin



Mirror with inclined frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00, 10.395-00



# FRAME

## Mirrors with inclined frame

**02.923**

Mirror 80x100 cm with inclined frame




**02.923-30**

Inox Bright

**02.923-00**

Inox Satin



Mirror with inclined frame is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00, 10.395-00




# ZOOM

## Mirrors Magnifying

### 05.092

Wall mounted magnifying mirror with light  $\Phi 190$



**05.092-30**

Inox Bright


---

---

---

---

---



Wall mounted Magnifying Mirror with Light is manufactured from AISI 304 stainless steel and crystal. Magnifying mirror (x3) is 3mm crystal and attaches to frame. Support brackets use pivot hinges and attach to mounting base with stainless steel screws. Mounting flange attach to wall with stainless steel screws.



# ZOOM

## Mirrors Magnifying

### 05.491

Wall mounted magnifying mirror



**05.491-01**

Bright


---

---

---

---

---



Wall mounted Magnifying Mirror is manufactured from AISI 304 stainless steel, aluminium and crystal. Mirror is double-sided, one magnifying (x3) and the other normal. Magnifying and normal mirror are 3mm crystal and attach to aluminium frame. Frame attaches to a semi-rounded frame by two stainless steel pivots, thus allowing the mirror to rotate freely by the horizontal axis. Frame attaches to stainless steel 16mm, 1.2mm thick support arm by stainless steel pivot rotating freely to the vertical axis. Support arm is mechanically pressed, with no welding, into stainless steel pivot supports that attach to 2mm thick mounting flange with stainless steel screws. Support arm may rotate by 180° horizontally. Concealed mounting flange is 1.25mm thick and securely attaches to wall with stainless steel screws and locks with mounting flange with stainless steel locking screw.






# ZOOM

## Mirrors Magnifying

### 05.691

Free standing magnifying mirror



**05.691-01**

Bright


---

---

---

---

---



Free Standing Magnifying Mirror is manufactured from AISI 304 stainless steel, aluminium and crystal. Mirror is double-sided, one magnifying (x3) and the other normal. Magnifying mirror and normal mirror are 3mm (3/16) crystal and attach to aluminium frame. Frame attaches to semi-rounded frame by two stainless steel pivots, thus allowing the mirror to rotate freely by the horizontal axis. The frame attaches to 12mm diameter stainless steel support post with stainless steel screw. The post is mechanically assembled to a 2mm thick base, which includes 5Kgs weight for improved stability.



# DECO

## Mirrors plain with decoration

### 10.010

Mirror Paros 45x65 cm



#### 10.010-00


---

---

---

---

---



Paros Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00



DECO

## Mirrors plain with decoration

### 10.011

Mirror Naxos 45x65 cm



#### 10.011-00


---

---

---

---

---



Naxos Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00



DECO

## Mirrors plain with decoration

**10.020**

Mirror Santorini 65x85 cm



**10.020-00**


---

---

---

---

---



Santorini Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00



# DECO

## Mirrors plain with decoration

### 10.021

Mirror Sifnos 65x85 cm



**10.021-00**


---

---

---

---

---



Sifnos Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00




PANEL

Mirrors plain

**10.023**

Mirror 35x90 cm plain



**10.023-00**


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# PANEL

## Mirrors plain

### 10.024

Mirror 40x60 cm plain



#### 10.024-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.




# PANEL

## Mirrors plain

### 10.025

Mirror 45x80 cm plain



#### 10.025-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00






# PANEL

## Mirrors plain

### 10.026

Mirror 45x100 cm plain



### 10.026-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00




# PANEL

## Mirrors plain

### 10.027

Mirror 45x120 cm plain



#### 10.027-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00




# PANEL

## Mirrors plain

### 10.028

Mirror 50x60 cm plain



#### 10.028-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.




# PANEL

## Mirrors plain

### 10.029

Mirror 50x70 cm plain



#### 10.029-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# PANEL

## Mirrors plain

### 10.030

Mirror 60x60 cm plain



#### 10.030-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.




# PANEL

## Mirrors plain

### 10.031

Mirror 60x80 cm plain



#### 10.031-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use the following mirror heater to convert to anti-fog mirror:  
10.195-00




# PANEL

## Mirrors plain

### 10.032

Mirror 70x90 cm plain



#### 10.032-00


---

---

---

---

---



Plain Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Specially designed mounting system enables the mirror to be installed either vertically or horizontally without modification. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00



# DECO

## Mirrors plain with decoration

### 10.051

Mirror Tinos 85x85 cm



### 10.051-00


---

---

---

---

---



Tinos Mirror is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to stainless steel base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws.

Use one of the following mirror heaters to convert to anti-fog mirror: 10.195-00, 10.295-00, 10.395-00






# HEAT

## Mirror Heaters

### 10.195

Mirror Heater 274x274 mm, 15W/230V IP44



#### 10.195-00


---

---

---

---

---



Mirror Heater is manufactured from a double insulated foil-element with a surface layer of polyester and a carbon-based heating element. One side is self adhesive for easy installation. Technical specifications: Rated voltage: 230V, Power 15W, Protection class: IP44, Connection cable: 2 m

Mirror heater may be ordered seperately from the mirror and can easily installed on site. You should never cut it to smaller dimensions because you destruct the insulation.




# HEAT

## Mirror Heaters

### 10.295

Mirror Heater 274x574 mm, 25W/230V IP44



### 10.295-00


---

---

---

---

---



Mirror Heater is manufactured from a double insulated foil-element with a surface layer of polyester and a carbon-based heating element. One side is self adhesive for easy installation. Technical specifications: Rated voltage: 230V, Power 25W, Protection class: IP44, Connection cable: 2 m

Mirror heater may be ordered seperately from the mirror and can easily installed on site. You should never cut it to smaller dimensions because you destruct the insulation.




# HEAT

## Mirror Heaters

### 10.395

Mirror Heater 524x524 mm, 50W/230V IP44



### 10.395-00


---

---

---

---

---



Mirror Heater is manufactured from a double insulated foil-element with a surface layer of polyester and a carbon-based heating element. One side is self adhesive for easy installation. Technical specifications: Rated voltage: 230V, Power 50W, Protection class: IP44, Connection cable: 2 m

Mirror heater may be ordered seperately from the mirror and can easily installed on site. You should never cut it to smaller dimensions because you destruct the insulation.



# HEAT

## Mirror Heaters

### 10.495

Mirror Heater 1024x524 mm, 100W/230V IP44



### 10.495-00


---

---

---

---

---



Mirror Heater is manufactured from a double insulated foil-element with a surface layer of polyester and a carbon-based heating element. One side is self adhesive for easy installation. Technical specifications: Rated voltage: 230V, Power 100W, Protection class: IP44, Connection cable: 2 m

Mirror heater may be ordered seperately from the mirror and can easily installed on site. You should never cut it to smaller dimensions because you destruct the insulation.




# BRIGHT

## Mirrors Illuminated without Frame

### 26.001

Mirror 70x70 cm plain with 1x24W horizontal light



#### 26.001-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




BRIGHT

## Mirrors Illuminated without Frame

### 26.002

Mirror 70x70 cm plain with 2x24W vertical lights



#### 26.002-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.003

Mirror 70x100 cm plain with 1x24W horizontal light



#### 26.003-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.004

Mirror 70x100 cm plain with 2x39W vertical lights



#### 26.004-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00






# BRIGHT

## Mirrors Illuminated without Frame

### 26.005

Mirror 100x70 cm plain with 1x39W horizontal light



#### 26.005-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.006

Mirror 100x70 cm plain with 2x24W vertical lights



#### 26.006-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.007

Mirror 100x100 cm plain with 1x39W horizontal light



#### 26.007-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.008

Mirror 100x100 cm plain with 2x39W vertical lights



#### 26.008-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.009

Mirror 120x70 cm plain with 1x39 horizontal and 2x39W vertical lights



#### 26.009-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W and one 39W fluorescent lamp and two electronic ballasts (one 2x24W and one 1x39W) with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.021

Mirror 70x70 cm plain with 1x24W horizontal light SQUARE



#### 26.021-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.022

Mirror 70x70 cm plain with 2x24W vertical lights SQUARE



#### 26.022-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.023

Mirror 70x100 cm plain with 1x24W horizontal light SQUARE



#### 26.023-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00






# BRIGHT

## Mirrors Illuminated without Frame

### 26.024

Mirror 70x100 cm plain with 2x39W vertical lights SQUARE



#### 26.024-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.025

Mirror 100x70 cm plain with 1x39W horizontal light SQUARE



#### 26.025-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.026

Mirror 100x70 cm plain with 2x24W vertical lights SQUARE



#### 26.026-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.027

Mirror 100x100 cm plain with 1x39W horizontal light SQUARE



#### 26.027-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.028

Mirror 100x100 cm plain with 2x39W vertical lights SQUARE



**26.028-00**


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated without Frame

### 26.029

Mirror 120x70 cm plain with 1x39 horizontal and 2x39W vertical lights  
SQUARE



### 26.029-00


---

---

---

---

---



Mirror plain with light is manufactured from AISI 304 stainless steel and crystal. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W and one 39W fluorescent lamp and two electronic ballasts (one 2x24W and one 1x39W) with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.001

Mirror 70x70 cm with frame and 1x24W horizontal light




**27.001-30**

Inox Bright

**27.001-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.002

Mirror 70x70 cm with frame and 2x24W vertical lights




**27.002-30**

Inox Bright

**27.002-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00






# BRIGHT

## Mirrors Illuminated with Frame

### 27.003

Mirror 70x100 cm with frame and 1x24W horizontal light




**27.003-30**

Inox Bright

**27.003-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.004

Mirror 70x100 cm with frame and 2x39W vertical lights




**27.004-30**

Inox Bright

**27.004-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.005

Mirror 100x70 cm with frame and 1x39W horizontal light




**27.005-30**

Inox Bright

**27.005-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.006

Mirror 100x70 cm with frame and 2x24W vertical lights




**27.006-30**

Inox Bright

**27.006-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.007

Mirror 100x100 cm with frame and 1x39W horizontal light




**27.007-30**

Inox Bright

**27.007-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.008

Mirror 100x100 cm with frame and 2x39W vertical lights




**27.008-30**

Inox Bright

**27.008-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.009

Mirror 120x70 cm with frame and 1x39 horizontal and 2x39W vertical lights




**27.009-30**

Inox Bright

**27.009-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W and one 39W fluorescent lamp and two electronic ballasts (one 2x24W and one 1x39W) with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.021

Mirror 70x70 cm with frame and 1x24W horizontal light SQUARE




**27.021-30**

Inox Bright

**27.021-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00






# BRIGHT

## Mirrors Illuminated with Frame

### 27.022

Mirror 70x70 cm with frame and 2x24W vertical lights SQUARE




**27.022-30**

Inox Bright

**27.022-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.023

Mirror 70x100 cm with frame and 1x24W horizontal light SQUARE




**27.023-30**

Inox Bright

**27.023-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 24W fluorescent lamp and electronic ballast 1x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.024

Mirror 70x100 cm with frame and 2x39W vertical lights SQUARE




**27.024-30**

Inox Bright

**27.024-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.025

Mirror 100x70 cm with frame and 1x39W horizontal light SQUARE




**27.025-30**

Inox Bright

**27.025-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.026

Mirror 100x70 cm with frame and 2x24W vertical lights SQUARE




**27.026-30**

Inox Bright

**27.026-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W fluorescent lamp and electronic ballast 2x24W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.295-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.027

Mirror 100x100 cm with frame and 1x39W horizontal light SQUARE




**27.027-30**

Inox Bright

**27.027-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes a T5 39W fluorescent lamp and electronic ballast 1x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.028

Mirror 100x100 cm with frame and 2x39W vertical lights SQUARE




**27.028-30**

Inox Bright

**27.028-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 39W fluorescent lamp and electronic ballast 2x39W with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00




# BRIGHT

## Mirrors Illuminated with Frame

### 27.029

Mirror 120x70 cm with frame and 1x39 horizontal and 2x39W vertical lights  
SQUARE




**27.029-30**

Inox Bright

**27.029-00**

Inox Satin



Mirror with frame and light is manufactured from AISI 304 stainless steel and crystal. Frame is manufactured from bended sheet with all edges constructed as safe edges for protection against injuries. Frame parts and the mounting bases are mechanically assembled with no welding providing a secure and aesthetically correct attachment. Mirror is 5mm thick crystal, silver plated, copper plated with varnish protection against corrosion, attached to base with special double-sided adhesive tape and silicon. Mirror mounts on wall with stainless steel screws. Mirror includes two T5 24W and one 39W fluorescent lamp and two electronic ballasts (one 2x24W and one 1x39W) with 220V - 240V voltage.

Use the following mirror heater to convert to anti-fog mirror:  
10.395-00